



Active System Integration

CP-QAC-DC90VBL3

900 TVL High Resolution Camera

www.asi.ind.in



Features

- High Quality Image Sensor
- 900 TVL High Resolution Camera
- 0.01 lux Min.Illumination
- 2.8~12 mm Varifocal Lens
- IR Range of 30 mtr with 24 IR LEDs
- AGC, AWB and BLC
- CE, FCC and RoHS Certified

Technical Specification

Model no	CP-QAC-DC90VBL3
Image Sensor	High Quality Image Sensor
Pixels	PAL:976(H)×582(V), NTSC: 976(H)×494(V)
Resolution	900 TVL
Min. Illumination	0.01 lux
S/N Ratio	more than 50dB
Electronic Shutter	1/60-1/100,000sec
Flickerless Mode	Electrical
Iris Control	Manual
Lens	2.8-12 mm Varifocal
Gamma Correction	0.45
White Balance (AWB)	0.45
Gain Control (AGC)	0.45
Back Light Compensation	0.45
Sync	Internal Sync
IR	IR Range of 30 Mtr with 24IR Leds



Active System Integration

www.asi.ind.in

Technical Specification

Power Supply	DC 12V
Video Output	1.0Vp-p / 75Ω
Power Consumption	DC12V, 240mA
Dimensions	Φ110.5 x 90mm
Weight	210g
Operating Temperature	-10~ +50°C RH95% Max
Certifications	CE, FCC, RoHs