



Active System Integration

CP-QAC-TC90L2-D

900 TVL High Resolution Camera

www.asi.ind.in



Technical Specification

Model no	CP-QAC-TC90L2-D
Image Sensor	High Quality Image Sensor
Pixels	PAL:976(H)×582(V), NTSC: 976(H)×494(V)
Resolution	900 TVL
Min. Illumination	0.01 lux
S/N Ratio	more than 50dB
Electronic Shutter	1/60-1/100,000sec
Flickerless Mode	Electrical
Iris Control	Manual
Lens	6 mm
Gamma Correction	0.45
White Balance (AWB)	Auto
Gain Control (AGC)	Auto
Back Light Compensation	Auto
Sync	Internal Sync
IR	IR Range of 20 Mtr with 24IR Leds

Features

- High Quality Image Sensor
- 900 TVL High Resolution Camera
- 0.01 lux Min.Illumination
- 3.6 mm Lens
- IR Range of 20 mtr with 24 IR LEDs
- AGC, AWB and BLC
- CE, FCC and RoHS Certified



Active System Integration

www.asi.ind.in

Technical Specification

Power Supply	DC 12V
Video Output	1.0Vp-p / 75Ω
Power Consumption	DC12V, 350mA
Dimensions	145mm(L) x 82mm(W) x 60mm(H)
Weight	350g
Operating Temperature	-10~ +50°C RH95% Max
Certifications	CE, FCC, RoHs