



Active System Integration

## CP-QAC-TY65MVBL3

650 TVL High Resolution Camera

[www.asi.ind.in](http://www.asi.ind.in)



### Technical Specification

Image Sensor	1/3" Sony Super HAD II CCD
Pixels	PAL:752(H)×582(V), NTSC:768(H)×494(V)
Resolution	650 TVL
Min. Illumination	0.01 lux
S/N Ratio	more than 50dB
Electronic Shutter	1/60-1/100,000sec
Flickerless Mode	Electrical
Iris Control	Manual
Lens	2.8-12 mm Lens
Gamma Correction	0.45

### Features

- 1/3" Sony Super HAD II
- 650TVL High Resolution
- lux Min. Illumination
- 2.8-12 mm Lens
- IR Range of 30Mtr. with 42 IR LEDs
- TranX, IP65, AGC, AWB and BLC
- CE, FCC and RoHS Certified



**Active System Integration**

[www.asi.ind.in](http://www.asi.ind.in)

## Technical Specification

White Balance (AWB)	Auto
Gain Control (AGC)	Auto
Back Light Compensation	Auto
IR	IR Range of 30Mtr. with 42 IR LEDs
Video Output	1.0Vp-P75Ωbn
Special Functions	TranX
Power Supply	DC12V
Power Consumption	DC12V,400mA
IP Rating	IP65
Dimensions	Φ96mm x 315mm(L)
Weight	450g
Operating Temperature	-10~ +50°C RH95% Max
Certifications	CE, FCC, RoHs